

HERRINGBONE

PATTERN



DIMENSIONS



70 x 490 mm

Thickness


11 mm (4+7spruce)



90 x 600 mm

Thickness




11 mm (4+7spruce)



120 x 590 mm


Thickness

14 mm (4+10plywood)




INSTALLATION METHODS


BRICK




HERRINGBONE



DIAGONAL HERRINGBONE



DOUBLE HERRINGBONE





Herringbone size 90 x 600 mm

GRADINGS

Select

Typically, select grade has no knots or these will be of minimal size. Mainly no sapwood. There will be a relatively small amount of colour variation in the timber itself.

Natur

Typically, this grade will have a mix of almost select boards with other planks which have more pin knots and knots up to 15 mm size. Expect some variation in tone from heartwood. Mainly no sapwood or these will be of minimal defects, if any at all.



HERRINGBONE 70 x 490

Product | **FROZEN**
Natural Oak
Brushed, laquer finish





HERRINGBONE 70 x 490

Product | **CREAM**
Natural oak
Light brushed
lacquer finish





HERRINGBONE 90 x 600


Product | **ROYAL**
Light smoked oak
Brushed, oil finish





HERRINGBONE 90 x 600

Product | **ROYAL**
Light smoked oak
Brushed, oil finish





HERRINGBONE 90 x 600

Product | **BOHEMA**
Oak, sanded, oil finish





HERRINGBONE 90 x 600


Product | **CUSTOM MADE**
Medium smoked oak
Brushed, oil finish





HERRINGBONE 120 x 590

Product | **BAXTER**
Light smoked oak
Sanded, oil finish





HERRINGBONE 120 x 590

Product | **BAXTER**
Light smoked oak
Sanded, oil finish

120 x 590



GRID FLOORS PVT. LTD.

Contact no. +91 98102 61926

Email Id : Info@gridfloors.com

Website : www.gridfloors.com