



GRID FLOORS
PRIVATE LIMITED
luxury flooring



WATER RESISTANT WOODEN FLOORING

WWW.GRIDFLOORS.COM

WOODEN FLOORING

The relationship between wooden flooring and water, generally a lot of care is required but not with our ACQUA Wooden Flooring.

Acqua Wooden Flooring is extremely water-repellent, resistant to all types of liquids, and highly resilient wooden flooring.

Our flooring comprises a special black water-resistant core in its structure which makes it extremely durable and resistant to water, while the 1mm iXpe plank backing provides more cushion & softness underfoot making it moisture-resistant as well.

Acqua Wooden Flooring also has a super strong wax-locking technology which makes sure, moisture doesn't seep in, keeping the flooring as new for years to come.



GRID FLOORS
PRIVATE LIMITED
luxury flooring

WOODEN FLOORING

1216 x 196mm x 5+1mm iXpe | Acqua Wooden Flooring

| 6MM Thickness | AC5 | 12 Planks/Box | 30.78 Sq.ft/Box |

| V Groove | Natural Wood Grain Surface | Eco Friendly |

Special Black Water Resistant Core | 1mm Green iXpe Plank Backing |

| Wax Coated | Unilin Click Locking System |



6mm AC5
Hickory Walnut 9040

1216 X 196 X 6MM Box Area
30.78 Sq.ft/Box

Water Resistant Wooden Flooring



6mm AC5

Oak Silver 9036

1216 X 196 X 6MM Box Area

30.78 Sq.ft/Box

Water Resistant Wooden Flooring

WWW.GRIDFLOORS.COM



6mm AC5
Harbour Brown 9039

1216 X 196 X 6MM Box Area
30.78 Sq.ft/Box

Water Resistant Wooden Flooring

WWW.GRIDFLOORS.COM



6mm AC5

Oak Polar 9038

1216 X 196 X 6MM Box Area

30.78 Sq.ft/Box

Water Resistant Wooden Flooring



6mm AC5

Irish Wheat 9037

1216 X 196 X 6MM Box Area

30.78 Sq.ft/Box

Water Resistant Wooden Flooring



6mm AC5

Ohio Wenge 9043

1216 X 196 X 6MM Box Area

30.78 Sq.ft/Box

Water Resistant Wooden Flooring

WWW.GRIDFLOORS.COM



6mm AC5

Swiss Oak 9042

1216 X 196 X 6MM Box Area

30.78 Sq.ft/Box

Water Resistant Wooden Flooring



6mm AC5
Swedish Grey 9041

1216 X 196 X 6MM Box Area
30.78 Sq.ft/Box

Water Resistant Wooden Flooring

TECHNICAL SPECIFICATIONS

Collection	<i>Wooden Flooring</i>
Surface Structure	Natural Wood Grain Surface with Aqua Loc Wax Coated - V Groove
Overlay	Highly Resistant Surface Impregnated with Melamine Resins and Aluminium Oxide
Substrate	High-Density Special Water Resistant Black Core of E0 Standards
Balancer	Melamine Impregnated paper
Abrasion Class	AC5, Class 33
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Unilin Click System with Moisture Resistant Green iXpe Plank Backing
Dimensions	1216 x 196 x 6mm
Boards/Box	12 Pcs.
Area/Box	2.860 sq.mtrs per box/30.78 sq.ft per box.
Price	Rs. 255/- Per Sq.Ft +++