



GRID FLOORS
PRIVATE LIMITED
luxury flooring

GRID FLOORS

WOODEN FLOORING

WWW.GRIDFLOORS.COM



WOODEN FLOORING

Introducing our latest innovation in premium wood flooring: | Wooden Flooring.

Wooden Flooring will supersede your expectations with its beautiful wood design full of character.

Our Collection has several traditional oaks from elegant to exotic with a realistic look and feel of natural wood flooring.

Discover true-to-nature flooring with Wooden Flooring.



GRID FLOORS
PRIVATE LIMITED
luxury flooring

WOODEN FLOORING

1215x 197mm x8mm| Wooden Flooring

| 8MM Thickness | AC5 | 10 Planks/Box| 25.77 Sq.ft/Box|

| U Groove | Natural Wood Grain Textures|

Wood Grain Surface | UnilinClick Locking System|



GRID FLOORS
PRIVATE LIMITED
luxury flooring



Fawn Wood 9032



GRID FLOORS
PRIVATE LIMITED
luxury flooring

WWW.GRIDFLOORS.COM



Fawn Wood 9032

8mm | AC5 | Natural Wood Grain Surface



GRID FLOORS
PRIVATE LIMITED
luxury flooring



Truffle Oak 9034



GRID FLOORS
PRIVATE LIMITED
luxury flooring

WWW.GRIDFLOORS.COM



Truffle Oak 9034

8mm | AC5 | Natural Wood Grain Surface



GRID FLOORS
PRIVATE LIMITED
luxury flooring



Oak Pine 9033

WWW.GRIDFLOORS.COM



GRID FLOORS
PRIVATE LIMITED
luxury flooring

WWW.GRIDFLOORS.COM



Oak Pine 9033

8mm | AC5 | Natural Wood Grain Surface



GRID FLOORS
PRIVATE LIMITED
luxury flooring



Topaz Grey 9035



GRID FLOORS
PRIVATE LIMITED
luxury flooring



Topaz Grey 9035 | Natural Wood Grain Surface

8mm | AC5

WWW.GRIDFLOORS.COM



GRID FLOORS
PRIVATE LIMITED
luxury flooring

TECHNICAL SPECIFICATIONS

| | |
|--------------------------|---|
| Collection | <i>Wooden Flooring</i> |
| Surface Structure | Wood Grain Surface with Natural Wood Grain Textures -U Groove |
| Overlay | Highly Resistant Surface Impregnated with Melamine Resins and Aluminium Oxide |
| Substrate | High-Density Fibre Board of E1 Standards |
| Balancer | Melamine Impregnated paper |
| Abrasion Class | AC5, Class 33 |
| Application Areas | Ideal for Heavy Residential and General Commercial Use |
| Installation | Unilin Click System with Moisture Resistant Yellow Backing |
| Dimensions | 1215 x 197x8mm |
| Boards/Box | 10Pcs. |
| Area/Box | 2.395sq.mtrs per box/25.77sq.ft per box. |
| Price | Rs. 195/- Per Sq.Ft +++ |