

# PLANKS



GRID FLOORS  
PRIVATE LIMITED  
luxury flooring

**DIMENSIONS**



**Width**  
152 mm

**Length**  
1750-2350 mm


**Thickness**  
15 mm  
(4 + 11 plywood)



**Width**  
192 mm

**Length**  
1750-2350 mm

**Thickness**  
15 mm  
(4 + 11 plywood)



**Width**  
242 mm

**Length**  
1750-2350 mm

**Thickness**  
15 mm  
(4 + 11 plywood)




**Width**  
300 mm

**Length**  
1800-2400 mm


**Thickness**  
16 mm  
(4 + 12 plywood)

**INSTALLATION METHODS**

REGULAR



MIXED WIDTHS





## GRADINGS

4

### Select

Typically, select grade has no knots or these will be of minimal size of max 5mm. No sapwood. There will be a relatively small amount of colour variation in the timber itself.

### Natur

Typically, this grade will have a mix of almost select boards with other planks which have more pin knots and knots up to 30 mm size, filled knots max 30 mm. Expect some variation in tone from heartwood. Mainly no sapwood or these will be of minimal defects, if any at all. However outside sapwood is allowed 15% length from the width.

### Classic

Classic Grade floors show the natural variation of timber without allowing some of the more characterful features in more rustic grades. Planks with very few knots will be mixed with some planks containing larger knots up to 35 mm and filled knots up to 20 mm. Mainly no sapwood or these will be of minimal defects, if any at all. Where filler is used its colour is carefully selected to complement the wood rather than to match it exactly, and the colour of the filler may vary from batch to batch.

### Character

Typically, character grade allows a wider range of colour variation. Sound knots are larger and unlimited, filled knots up to 50 mm and you should expect checks (cracks across the growth ring) and possibly some end shake (cracks between the rings). Filler will be used, the colour of which is carefully selected to complement the wood rather than to match it exactly, and it may vary from batch to batch. Outside sapwood is allowed 30% length from the width.



MIXED WIDTHS

Product: BAXTER



## PLANKS 192

Product | **CUSTOM MADE**  
Medium smoked oak  
sanded, oil finish





## PLANKS 192

Product | **DIVINE**  
Medium smoked oak  
Light brushed, oil finish





## PLANKS 300

Product |  
**BREEZE** Natural  
oak Brushed, oil  
finish







**PLANKS 152**


Product | **CUSTOM MADE**  
Natural oak  
Brushed, oil finish





## PLANKS 152


Product | **LATTE**  
Natural oak  
Sanded, lacquer finish





**PLANKS 192**

Product | **COOKIE**  
Natural oak  
Sanded, oil finish





## PLANK MIX

Product | **DIVINE**  
Medium smoked oak  
Light brushed, oil finish








## PLANK MIX

Product | **BAXTER**  
Light smoked oak  
Sanded, oil finish







## GRID FLOORS PVT. LTD.

Contact No. +91 98102 61926

Email Id : [Info@gridfloors.com](mailto:Info@gridfloors.com)

Website : [www.gridfloors.com](http://www.gridfloors.com)